

# Konformitätserklärung *Declaration of Conformity*

Effective

Wir / We,

**Aesculap AG**  
**Am Aesculap-Platz**  
**78532 Tuttlingen**  
**GERMANY**

**SRN: DE-MF-000005504**

erklären in alleiniger Verantwortung, dass die folgenden Artikel mit den Anforderungen der  
**Medizinprodukte-Verordnung (EU) 2017/745** übereinstimmen.  
*declare under our sole responsibility that the following products are in conformity with the requirements of  
the **Medical Device Regulation (EU) 2017/745**.*

## **Siehe angehängte Artikelliste / *See attached product list***

Die **Risikoklasse** nach Anhang VIII ist **angehängter Liste** zu entnehmen.  
Für die genannten Artikel wurde ein **Konformitätsbewertungsverfahren** nach  
**Anhang IX** durchgeführt.

*The **risk class** according to Annex VIII is mentioned in **attached list**.*  
*For the attached products a **conformity assessment procedure** has been carried out according to  
**Annex IX**.*

Benannte Stelle / Notified Body: DNV MEDCERT GmbH, Pilatuspool 2, 20355 Hamburg, Germany  
Kennnummer / Identification number: 0482

EU Technical Documentation Assessment Certificate – Regulation (EU) 2017/745 Annex IX Chapter II –  
20004GB450240516

Gültig bis / *Valid until*:  
04.08.2026

Tuttlingen, Germany

i.V.

Holger Reinecke  
*Member of the Executive Board R&D & RA*

Markus Siller  
*Vice President R&D*

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-  
Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*  
SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page 1 von/of 27, Gültig ab/Valid since 2023-11-30  
GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

<b>Zweckbestimmung Intended Use</b>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>40392390000016652Y</b>

<b>Artikelnummer Ref. Number</b>	<b>Bezeichnung Description</b>	<b>Risikoklasse Risk Class</b>
NH091D	SC/MSC BIOLOX DELTA INS.28MM 44/46 SYM.	III
NH092D	SC/MSC BIOLOX DELTA INS.28MM 48/50 SYM.	III
NH093D	SC/MSC BIOLOX DELTA INS.28MM 52/54 SYM.	III
NH102D	SC/MSC BIOLOX DELTA INS.32MM 48/50 SYM.	III
NH103D	SC/MSC BIOLOX DELTA INS.32MM 52/54 SYM.	III
NH104D	SC/MSC BIOLOX DELTA INS.32MM 56/58 SYM.	III
NH105D	SC/MSC BIOLOX DELTA INS.32MM 60/62 SYM.	III
NH106D	SC/MSC BIOLOX DELTA INS.32MM 64-68 SYM.	III
NH109D	SC/MSC BIOLOX DELTA INS.36MM 56/58 SYM.	III
NH110D	SC/MSC BIOLOX DELTA INS.36MM 60/62 SYM.	III
NH111D	SC/MSC BIOLOX DELTA INS.36MM 64-68 SYM.	III
NH521D	DC BIOLOX DELTA INSERT 28MM 44/46 SYM.	III
NH522D	DC BIOLOX DELTA INSERT 32MM 48/50 SYM.	III
NH526D	DC BIOLOX DELTA INSERT 36MM 52/54 SYM.	III
NH527D	DC BIOLOX DELTA INSERT 36MM 56-62 SYM.	III
NH528D	DC BIOLOX DELTA INSERT 36MM 64-68 SYM.	III
NV089D	BIOLOX DELTA INSERT C 28MM SYM.	III
NV090D	BIOLOX DELTA INSERT D 28MM SYM.	III
NV091D	BIOLOX DELTA INSERT E 28MM SYM.	III
NV092D	BIOLOX DELTA INSERT F 28MM SYM.	III
NV093D	BIOLOX DELTA INSERT G 28MM SYM.	III
NV094D	BIOLOX DELTA INSERT H 28MM SYM.	III
NV101D	BIOLOX DELTA INSERT E 32MM SYM.	III
NV102D	BIOLOX DELTA INSERT F 32MM SYM.	III
NV103D	BIOLOX DELTA INSERT G 32MM SYM.	III
NV104D	BIOLOX DELTA INSERT H 32MM SYM.	III
NV105D	BIOLOX DELTA INSERT I 32MM SYM.	III
NV106D	BIOLOX DELTA INSERT J 32MM SYM.	III
NV107D	BIOLOX DELTA INSERT K 32MM SYM.	III
NV113D	BIOLOX DELTA INSERT G 36MM SYM.	III
NV114D	BIOLOX DELTA INSERT H 36MM SYM.	III
NV115D	BIOLOX DELTA INSERT I 36MM SYM.	III
NV116D	BIOLOX DELTA INSERT J 36MM SYM.	III
NV117D	BIOLOX DELTA INSERT K 36MM SYM.	III
NV125D	BIOLOX DELTA INSERT I 40MM SYM.	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / This document is valid without manual signature. It is signed via electronic signature process.

SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page 2 von/of 27, Gültig ab/Valid since 2023-11-30

GRA,blocmade

Effective

# Konformitätserklärung

## Declaration of Conformity

Effective

NV126D	BIOLOX DELTA INSERT J 40MM SYM.	III
NV127D	BIOLOX DELTA INSERT K 40MM SYM.	III

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>403923900000166632</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NJ101D	BIOLOX DELTA PROSTHESIS HEAD 8/10 28MM S	III
NJ102D	BIOLOX DELTA PROSTHESIS HEAD 8/10 28MM M	III
NJ103D	BIOLOX DELTA PROSTHESIS HEAD 8/10 28MM L	III
NJ106D	BIOLOX DELTA PROSTHESIS HEAD 8/10 32MM S	III
NJ107D	BIOLOX DELTA PROSTHESIS HEAD 8/10 32MM M	III
NJ108D	BIOLOX DELTA PROSTHESIS HEAD 8/10 32MM L	III
NJ116D	BIOLOX DELTA PROSTH.HEAD 8/10 36MM S	III
NJ117D	BIOLOX DELTA PROSTH.HEAD 8/10 36MM M	III
NJ118D	BIOLOX DELTA PROSTH.HEAD 8/10 36MM L	III
NJ119D	BIOLOX DELTA PROSTH.HEAD 8/10 36MM XL	III
NK460D	BIOLOX DELTA PROSTH.HEAD 12/14 28MM S	III
NK461D	BIOLOX DELTA PROSTH.HEAD 12/14 28MM M	III
NK462D	BIOLOX DELTA PROSTH.HEAD 12/14 28MM L	III
NK560D	BIOLOX DELTA PROSTH.HEAD 12/14 32MM S	III
NK561D	BIOLOX DELTA PROSTH.HEAD 12/14 32MM M	III
NK562D	BIOLOX DELTA PROSTH.HEAD 12/14 32MM L	III
NK563D	BIOLOX DELTA PROSTH.HEAD 12/14 32MM XL	III
NK650D	BIOLOX DELTA PROSTH.HEAD 12/14 36MM S	III
NK651D	BIOLOX DELTA PROSTH.HEAD 12/14 36MM M	III
NK652D	BIOLOX DELTA PROSTH.HEAD 12/14 36MM L	III
NK653D	BIOLOX DELTA PROSTH.HEAD 12/14 36MM XL	III
NK750D	BIOLOX DELTA PROSTH.HEAD 12/14 40MM S	III
NK751D	BIOLOX DELTA PROSTH.HEAD 12/14 40MM M	III
NK752D	BIOLOX DELTA PROSTH.HEAD 12/14 40MM L	III
NK753D	BIOLOX DELTA PROSTH.HEAD 12/14 40MM XL	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / This document is valid without manual signature. It is signed via electronic signature process.  
SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page 3 von/of 27, Gültig ab/Valid since 2023-11-30  
GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>403923900000166734</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NJ081	BIOLOX PROSTHESIS HEAD 8/10 22.2MM S	III
NJ082	BIOLOX PROSTHESIS HEAD 8/10 22.2MM M	III
NJ091	BIOLOX PROSTHESIS HEAD 8/10 26MM S	III
NJ092	BIOLOX PROSTHESIS HEAD 8/10 26MM M	III
NJ093	BIOLOX PROSTHESIS HEAD 8/10 26MM L	III
NK461	BIOLOX PROSTHESIS HEAD 12/14 28MM M	III
NK462	BIOLOX PROSTHESIS HEAD 12/14 28MM L	III
NK560	BIOLOX PROSTHESIS HEAD 12/14 32MM S	III
NK561	BIOLOX PROSTHESIS HEAD 12/14 32MM M	III
NK562	BIOLOX PROSTHESIS HEAD 12/14 32MM L	III
NK650	BIOLOX PROSTHESIS HEAD 12/14 36MM S	III
NK651	BIOLOX PROSTHESIS HEAD 12/14 36MM M	III
NK652	BIOLOX PROSTHESIS HEAD 12/14 36MM L	III
NK860	BIOLOX PROSTHESIS HEAD 12/14 26MM S	III
NK861	BIOLOX PROSTHESIS HEAD 12/14 26MM M	III
NK862	BIOLOX PROSTHESIS HEAD 12/14 26MM L	III

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>403923900000166836</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NK435	BIOLOX DELTA REVISION HEAD 12/14 28MM S	III
NK436	BIOLOX DELTA REVISION HEAD 12/14 28MM M	III
NK437	BIOLOX DELTA REVISION HEAD 12/14 28MM L	III
NK438	BIOLOX DELTA REVISION HEAD 12/14 28MM XL	III
NK535	BIOLOX DELTA REVISION HEAD 12/14 32MM S	III
NK536	BIOLOX DELTA REVISION HEAD 12/14 32MM M	III
NK537	BIOLOX DELTA REVISION HEAD 12/14 32MM L	III
NK538	BIOLOX DELTA REVISION HEAD 12/14 32MM XL	III
NK635	BIOLOX DELTA REVISION HEAD 12/14 36MM S	III
NK636	BIOLOX DELTA REVISION HEAD 12/14 36MM M	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*

SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page 4 von/of 27, Gültig ab/Valid since 2023-11-30

GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

NK637	BIOLOX DELTA REVISION HEAD 12/14 36MM L	III
NK638	BIOLOX DELTA REVISION HEAD 12/14 36MM XL	III

<b>Zweckbestimmung Intended Use</b>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>403923900000166938</b>

<b>Artikelnummer Ref. Number</b>	<b>Bezeichnung Description</b>	<b>Risikoklasse Risk Class</b>
NJ435T	SLEEVE 8/10 S F/BIOLOX REVISION HEAD	III
NJ436T	SLEEVE 8/10 M F/BIOLOX REVISION HEAD	III
NJ437T	SLEEVE 8/10 L F/BIOLOX REVISION HEAD	III
NJ438T	SLEEVE 8/10 XL F/BIOLOX REVISION HEAD	III

<b>Zweckbestimmung Intended Use</b>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>40392390000016702R</b>

<b>Artikelnummer Ref. Number</b>	<b>Bezeichnung Description</b>	<b>Risikoklasse Risk Class</b>
NK019K	BIPOLAR CUP ID22.2MM OD39MM SELF-CENTER.	III
NK020K	BIPOLAR CUP ID22.2MM OD40MM SELF-CENTER.	III
NK021K	BIPOLAR CUP ID22.2MM OD41MM SELF-CENTER.	III
NK022K	BIPOLAR CUP ID22.2MM OD42MM SELF-CENTER.	III
NK023K	BIPOLAR CUP ID22.2MM OD43MM SELF-CENTER.	III
NK024K	BIPOLAR CUP ID22.2MM OD44MM SELF-CENTER.	III
NK025K	BIPOLAR CUP ID22.2MM OD45MM SELF-CENTER.	III
NK026K	BIPOLAR CUP ID22.2MM OD46MM SELF-CENTER.	III
NK027K	BIPOLAR CUP ID22.2MM OD47MM SELF-CENTER.	III
NK028K	BIPOLAR CUP ID22.2MM OD48MM SELF-CENTER.	III
NK029K	BIPOLAR CUP ID22.2MM OD49MM SELF-CENTER.	III
NK030K	BIPOLAR CUP ID22.2MM OD50MM SELF-CENTER.	III
NK031K	BIPOLAR CUP ID22.2MM OD51MM SELF-CENTER.	III
NK032K	BIPOLAR CUP ID22.2MM OD52MM SELF-CENTER.	III
NK033K	BIPOLAR CUP ID22.2MM OD53MM SELF-CENTER.	III
NK034K	BIPOLAR CUP ID22.2MM OD54MM SELF-CENTER.	III
NK035K	BIPOLAR CUP ID22.2MM OD55MM SELF-CENTER.	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / This document is valid without manual signature. It is signed via electronic signature process.  
SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page 5 von/of 27, Gültig ab/Valid since 2023-11-30  
GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

NK047K	BIPOLAR CUP ID28MM OD47MM SELF-CENTERING	III
NK048K	BIPOLAR CUP ID28MM OD48MM SELF-CENTERING	III
NK049K	BIPOLAR CUP ID28MM OD49MM SELF-CENTERING	III
NK050K	BIPOLAR CUP ID28MM OD50MM SELF-CENTERING	III
NK051K	BIPOLAR CUP ID28MM OD51MM SELF-CENTERING	III
NK052K	BIPOLAR CUP ID28MM OD52MM SELF-CENTERING	III
NK053K	BIPOLAR CUP ID28MM OD53MM SELF-CENTERING	III
NK054K	BIPOLAR CUP ID28MM OD54MM SELF-CENTERING	III
NK055K	BIPOLAR CUP ID28MM OD55MM SELF-CENTERING	III
NK056K	BIPOLAR CUP ID28MM OD56MM SELF-CENTERING	III
NK057K	BIPOLAR CUP ID28MM OD57MM SELF-CENTERING	III
NK058K	BIPOLAR CUP ID28MM OD58MM SELF-CENTERING	III
NK059K	BIPOLAR CUP ID28MM OD59MM SELF-CENTERING	III
NK060K	BIPOLAR CUP ID28MM OD60MM SELF-CENTERING	III
NK291K	BIPOLAR CUP ID26MM OD41MM SELF-CENTERING	III
NK292K	BIPOLAR CUP ID26MM OD42MM SELF-CENTERING	III
NK293K	BIPOLAR CUP ID26MM OD43MM SELF-CENTERING	III
NK294K	BIPOLAR CUP ID26MM OD44MM SELF-CENTERING	III
NK295K	BIPOLAR CUP ID26MM OD45MM SELF-CENTERING	III
NK296K	BIPOLAR CUP ID26MM OD46MM SELF-CENTERING	III
NK297K	BIPOLAR CUP ID26MM OD47MM SELF-CENTERING	III
NK298K	BIPOLAR CUP ID26MM OD48MM SELF-CENTERING	III
NK299K	BIPOLAR CUP ID26MM OD49MM SELF-CENTERING	III
NK300K	BIPOLAR CUP ID26MM OD50MM SELF-CENTERING	III
NK301K	BIPOLAR CUP ID26MM OD51MM SELF-CENTERING	III
NK302K	BIPOLAR CUP ID26MM OD52MM SELF-CENTERING	III
NK303K	BIPOLAR CUP ID26MM OD53MM SELF-CENTERING	III
NK304K	BIPOLAR CUP ID26MM OD54MM SELF-CENTERING	III
NK305K	BIPOLAR CUP ID26MM OD55MM SELF-CENTERING	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*  
SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page 6 von/of 27, Gültig ab/Valid since 2023-11-30  
GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>40392390000016712T</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NK019S	BIPOLAR CUP ID22.2MM OD39MM SELF-CENTER.	III
NK020S	BIPOLAR CUP ID22.2MM OD40MM SELF-CENTER.	III
NK021S	BIPOLAR CUP ID22.2MM OD41MM SELF-CENTER.	III
NK022S	BIPOLAR CUP ID22.2MM OD42MM SELF-CENTER.	III
NK023S	BIPOLAR CUP ID22.2MM OD43MM SELF-CENTER.	III
NK024S	BIPOLAR CUP ID22.2MM OD44MM SELF-CENTER.	III
NK025S	BIPOLAR CUP ID22.2MM OD45MM SELF-CENTER.	III
NK026S	BIPOLAR CUP ID22.2MM OD46MM SELF-CENTER.	III
NK027S	BIPOLAR CUP ID22.2MM OD47MM SELF-CENTER.	III
NK028S	BIPOLAR CUP ID22.2MM OD48MM SELF-CENTER.	III
NK029S	BIPOLAR CUP ID22.2MM OD49MM SELF-CENTER.	III
NK030S	BIPOLAR CUP ID22.2MM OD50MM SELF-CENTER.	III
NK031S	BIPOLAR CUP ID22.2MM OD51MM SELF-CENTER.	III
NK032S	BIPOLAR CUP ID22.2MM OD52MM SELF-CENTER.	III
NK033S	BIPOLAR CUP ID22.2MM OD53MM SELF-CENTER.	III
NK034S	BIPOLAR CUP ID22.2MM OD54MM SELF-CENTER.	III
NK035S	BIPOLAR CUP ID22.2MM OD55MM SELF-CENTER.	III
NK043S	BIPOLAR CUP ID28MM OD43MM SELF-CENTERING	III
NK044S	BIPOLAR CUP ID28MM OD44MM SELF-CENTERING	III
NK045S	BIPOLAR CUP ID28MM OD45MM SELF-CENTERING	III
NK046S	BIPOLAR CUP ID28MM OD46MM SELF-CENTERING	III
NK047S	BIPOLAR CUP ID28MM OD47MM SELF-CENTERING	III
NK048S	BIPOLAR CUP ID28MM OD48MM SELF-CENTERING	III
NK049S	BIPOLAR CUP ID28MM OD49MM SELF-CENTERING	III
NK050S	BIPOLAR CUP ID28MM OD50MM SELF-CENTERING	III
NK051S	BIPOLAR CUP ID28MM OD51MM SELF-CENTERING	III
NK052S	BIPOLAR CUP ID28MM OD52MM SELF-CENTERING	III
NK053S	BIPOLAR CUP ID28MM OD53MM SELF-CENTERING	III
NK054S	BIPOLAR CUP ID28MM OD54MM SELF-CENTERING	III
NK055S	BIPOLAR CUP ID28MM OD55MM SELF-CENTERING	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*  
 SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page 7 von/of 27, Gültig ab/Valid since 2023-11-30  
 GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>40392390000016722V</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NK324	ISOCER PROSTHESIS HEAD 12/14 28MM S	III
NK325	ISOCER PROSTHESIS HEAD 12/14 28MM M	III
NK326	ISOCER PROSTHESIS HEAD 12/14 28MM L	III
NK424	ISOCER PROSTHESIS HEAD 12/14 32MM S	III
NK425	ISOCER PROSTHESIS HEAD 12/14 32MM M	III
NK426	ISOCER PROSTHESIS HEAD 12/14 32MM L	III
NK427	ISOCER PROSTHESIS HEAD 12/14 32MM XL	III
NK524	ISOCER PROSTHESIS HEAD 12/14 36MM S	III
NK525	ISOCER PROSTHESIS HEAD 12/14 36MM M	III
NK526	ISOCER PROSTHESIS HEAD 12/14 36MM L	III
NK527	ISOCER PROSTHESIS HEAD 12/14 36MM XL	III

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>40392390000016732X</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NJ111K	ISODUR PROSTHESIS HEAD 8/10 22.2MM S	III
NJ112K	ISODUR PROSTHESIS HEAD 8/10 22.2MM M	III
NJ113K	ISODUR PROSTHESIS HEAD 8/10 22.2MM L	III
NJ121K	ISODUR PROSTHESIS HEAD 8/10 26MM S	III
NJ122K	ISODUR PROSTHESIS HEAD 8/10 26MM M	III
NJ123K	ISODUR PROSTHESIS HEAD 8/10 26MM L	III
NJ124K	ISODUR PROSTHESIS HEAD 8/10 26MM XL	III
NJ126K	ISODUR PROSTHESIS HEAD 8/10 32MM S	III
NJ127K	ISODUR PROSTHESIS HEAD 8/10 32MM M	III
NJ128K	ISODUR PROSTHESIS HEAD 8/10 32MM L	III
NJ129K	ISODUR PROSTHESIS HEAD 8/10 32MM XL	III
NJ131K	ISODUR PROSTHESIS HEAD 8/10 28MM S	III
NJ132K	ISODUR PROSTHESIS HEAD 8/10 28MM M	III
NJ133K	ISODUR PROSTHESIS HEAD 8/10 28MM L	III
NJ134K	ISODUR PROSTHESIS HEAD 8/10 28MM XL	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*

SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page 8 von/of 27, Gültig ab/Valid since 2023-11-30

GRA,blocmade

Effective



# Konformitätserklärung *Declaration of Conformity*

Effective

NK330K	ISODUR PROSTHESIS HEAD 12/14 22.2MM M	III
NK331K	ISODUR PROSTHESIS HEAD 12/14 22.2MM L	III
NK389K	ISODUR PROSTHESIS HEAD 12/14 26MM S	III
NK390K	ISODUR PROSTHESIS HEAD 12/14 26MM M	III
NK391K	ISODUR PROSTHESIS HEAD 12/14 26MM L	III
NK392K	ISODUR PROSTHESIS HEAD 12/14 26MM XL	III
NK429K	ISODUR PROSTHESIS HEAD 12/14 28MM S	III
NK430K	ISODUR PROSTHESIS HEAD 12/14 28MM M	III
NK431K	ISODUR PROSTHESIS HEAD 12/14 28MM L	III
NK432K	ISODUR PROSTHESIS HEAD 12/14 28MM XL	III
NK433K	ISODUR PROSTHESIS HEAD 12/14 28MM XXL	III
NK529K	ISODUR PROSTHESIS HEAD 12/14 32MM S	III
NK530K	ISODUR PROSTHESIS HEAD 12/14 32MM M	III
NK531K	ISODUR PROSTHESIS HEAD 12/14 32MM L	III
NK532K	ISODUR PROSTHESIS HEAD 12/14 32MM XL	III
NK533K	ISODUR PROSTHESIS HEAD 12/14 32MM XXL	III
NK669K	ISODUR PROSTHESIS HEAD 12/14 36MM S	III
NK670K	ISODUR PROSTHESIS HEAD 12/14 36MM M	III
NK671K	ISODUR PROSTHESIS HEAD 12/14 36MM L	III
NK672K	ISODUR PROSTHESIS HEAD 12/14 36MM XL	III
NK673K	ISODUR PROSTHESIS HEAD 12/14 36MM XXL	III
NK769K	ISODUR PROSTHESIS HEAD 12/14 40MM S	III
NK770K	ISODUR PROSTHESIS HEAD 12/14 40MM M	III
NK771K	ISODUR PROSTHESIS HEAD 12/14 40MM L	III
NK772K	ISODUR PROSTHESIS HEAD 12/14 40MM XL	III
NK773K	ISODUR PROSTHESIS HEAD 12/14 40MM XXL	III

<b>Zweckbestimmung Intended Use</b>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>40392390000016742Z</b>

<b>Artikelnummer Ref. Number</b>	<b>Bezeichnung Description</b>	<b>Risikoklasse Risk Class</b>
NH946	ISOFAR PE-CUP 28MM 46MM STANDARD	III
NH947	ISOFAR PE-CUP 28MM 46MM ANTILUX	III
NH948	ISOFAR PE-CUP 28MM 48MM STANDARD	III
NH949	ISOFAR PE-CUP 28MM 48MM ANTILUX	III
NH951	ISOFAR PE-CUP 28MM 50MM ANTILUX	III
NH953	ISOFAR PE-CUP 28MM 52MM ANTILUX	III
NH955	ISOFAR PE-CUP 28MM 54MM ANTILUX	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*  
 SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page 9 von/of 27, Gültig ab/Valid since 2023-11-30  
 GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

NH957	ISOFAR PE-CUP 28MM 56MM ANTILUX	III
NH959	ISOFAR PE-CUP 28MM 58MM ANTILUX	III
NH961	ISOFAR PE-CUP 28MM 60MM ANTILUX	III
NH963	ISOFAR PE-CUP 28MM 62MM ANTILUX	III
NH968	ISOFAR PE-CUP 32MM 48MM STANDARD	III
NH969	ISOFAR PE-CUP 32MM 48MM ANTILUX	III
NH970	ISOFAR PE-CUP 32MM 50MM STANDARD	III
NH971	ISOFAR PE-CUP 32MM 50MM ANTILUX	III
NH972	ISOFAR PE-CUP 32MM 52MM STANDARD	III
NH973	ISOFAR PE-CUP 32MM 52MM ANTILUX	III
NH974	ISOFAR PE-CUP 32MM 54MM STANDARD	III
NH975	ISOFAR PE-CUP 32MM 54MM ANTILUX	III
NH976	ISOFAR PE-CUP 32MM 56MM STANDARD	III
NH977	ISOFAR PE-CUP 32MM 56MM ANTILUX	III
NH978	ISOFAR PE-CUP 32MM 58MM STANDARD	III
NH979	ISOFAR PE-CUP 32MM 58MM ANTILUX	III
NH980	ISOFAR PE-CUP 32MM 60MM STANDARD	III
NH981	ISOFAR PE-CUP 32MM 60MM ANTILUX	III
NH982	ISOFAR PE-CUP 32MM 62MM STANDARD	III
NH983	ISOFAR PE-CUP 32MM 62MM ANTILUX	III
NK810	PE-CUP 22.2MM 40MM	III
NK812	PE-CUP 22.2MM 42MM	III
NK842	PE-CUP 28MM 42MM	III
NK844	PE-CUP 28MM 44MM	III
NK846	PE-CUP 28MM 46MM	III
NK848	PE-CUP 28MM 48MM	III
NK850	PE-CUP 28MM 50MM	III
NK852	PE-CUP 28MM 52MM	III
NK854	PE-CUP 28MM 54MM	III
NK856	PE-CUP 28MM 56MM	III
NK858	PE-CUP 28MM 58MM	III
NK870	PE-CUP 28MM 60MM	III
NK872	PE-CUP 28MM 62MM	III
NK874	PE-CUP 28MM 64MM	III
NK946	PE-CUP 32MM 46MM	III
NK948	PE-CUP 32MM 48MM	III
NK950	PE-CUP 32MM 50MM	III
NK952	PE-CUP 32MM 52MM	III
NK954	PE-CUP 32MM 54MM	III
NK956	PE-CUP 32MM 56MM	III
NK958	PE-CUP 32MM 58MM	III
NK960	PE-CUP 32MM 60MM	III
NK962	PE-CUP 32MM 62MM	III
NK964	PE-CUP 32MM 64MM	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*

SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page **10** von/of **27**, Gültig ab/Valid since 2023-11-30  
GRA,blocmade

Effective

# Konformitätserklärung

## Declaration of Conformity

Effective

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>403923900000167533</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NC444T	PLASMACUP SC PLASMAPORE- $\mu$ CAP SIZE 44MM	III
NC446T	PLASMACUP SC PLASMAPORE- $\mu$ CAP SIZE 46MM	III
NC448T	PLASMACUP SC PLASMAPORE- $\mu$ CAP SIZE 48MM	III
NC450T	PLASMACUP SC PLASMAPORE- $\mu$ CAP SIZE 50MM	III
NC452T	PLASMACUP SC PLASMAPORE- $\mu$ CAP SIZE 52MM	III
NC454T	PLASMACUP SC PLASMAPORE- $\mu$ CAP SIZE 54MM	III
NC456T	PLASMACUP SC PLASMAPORE- $\mu$ CAP SIZE 56MM	III
NC458T	PLASMACUP SC PLASMAPORE- $\mu$ CAP SIZE 58MM	III
NC460T	PLASMACUP SC PLASMAPORE- $\mu$ CAP SIZE 60MM	III
NC462T	PLASMACUP SC PLASMAPORE- $\mu$ CAP SIZE 62MM	III

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>403923900000167635</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NH040T	PLASMACUP SC SIZE 40MM	III
NH042T	PLASMACUP SC SIZE 42MM	III
NH044T	PLASMACUP SC SIZE 44MM	III
NH046T	PLASMACUP SC SIZE 46MM	III
NH048T	PLASMACUP SC SIZE 48MM	III
NH050T	PLASMACUP SC SIZE 50MM	III
NH052T	PLASMACUP SC SIZE 52MM	III
NH054T	PLASMACUP SC SIZE 54MM	III
NH056T	PLASMACUP SC SIZE 56MM	III
NH058T	PLASMACUP SC SIZE 58MM	III
NH060T	PLASMACUP SC SIZE 60MM	III
NH062T	PLASMACUP SC SIZE 62MM	III
NH064T	PLASMACUP SC SIZE 64MM	III
NH066T	PLASMACUP SC SIZE 66MM	III
NH068T	PLASMACUP SC SIZE 68MM	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / This document is valid without manual signature. It is signed via electronic signature process.

SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page 11 von/of 27, Gültig ab/Valid since 2023-11-30  
GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

NH140T	PLASMACUP MSC SIZE 40MM	III
NH142T	PLASMACUP MSC SIZE 42MM	III
NH144T	PLASMACUP MSC SIZE 44MM	III
NH146T	PLASMACUP MSC SIZE 46MM	III
NH148T	PLASMACUP MSC SIZE 48MM	III
NH150T	PLASMACUP MSC SIZE 50MM	III
NH152T	PLASMACUP MSC SIZE 52MM	III
NH154T	PLASMACUP MSC SIZE 54MM	III
NH156T	PLASMACUP MSC SIZE 56MM	III
NH158T	PLASMACUP MSC SIZE 58MM	III
NH160T	PLASMACUP MSC SIZE 60MM	III
NH162T	PLASMACUP MSC SIZE 62MM	III
NH164T	PLASMACUP MSC SIZE 64MM	III
NH166T	PLASMACUP MSC SIZE 66MM	III
NH168T	PLASMACUP MSC SIZE 68MM	III
NH344T	PLASMACUP NSC SIZE 44MM	III
NH346T	PLASMACUP NSC SIZE 46MM	III
NH348T	PLASMACUP NSC SIZE 48MM	III
NH350T	PLASMACUP NSC SIZE 50MM	III
NH352T	PLASMACUP NSC SIZE 52MM	III
NH354T	PLASMACUP NSC SIZE 54MM	III
NH356T	PLASMACUP NSC SIZE 56MM	III
NH358T	PLASMACUP NSC SIZE 58MM	III
NH360T	PLASMACUP NSC SIZE 60MM	III
NH362T	PLASMACUP NSC SIZE 62MM	III
NH544T	PLASMACUP DC SIZE 44MM	III
NH546T	PLASMACUP DC SIZE 46MM	III
NH548T	PLASMACUP DC SIZE 48MM	III
NH550T	PLASMACUP DC SIZE 50MM	III
NH552T	PLASMACUP DC SIZE 52MM	III
NH554T	PLASMACUP DC SIZE 54MM	III
NH556T	PLASMACUP DC SIZE 56MM	III
NH558T	PLASMACUP DC SIZE 58MM	III
NH560T	PLASMACUP DC SIZE 60MM	III
NH562T	PLASMACUP DC SIZE 62MM	III
NH564T	PLASMACUP DC SIZE 64MM	III
NH566T	PLASMACUP DC SIZE 66MM	III
NH568T	PLASMACUP DC SIZE 68MM	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*  
SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page **12** von/of **27**, Gültig ab/Valid since 2023-11-30  
GRA,blocmade

Effective

# Konformitätserklärung

## *Declaration of Conformity*

Effective

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>403923900000167737</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NH652D	PLASMACUP DELTA 36MM SIZE 52MM	III
NH654D	PLASMACUP DELTA 36MM SIZE 54MM	III

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>403923900000167839</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NH632D	PLC-DELTA CERAMICS INSERT 32MM SZ.44/46	III
NH636D	PLC-DELTA CERAMICS INSERT 36MM SZ.48	III
NH637D	PLC-DELTA CERAMICS INSERT 36MM SZ.50-54	III

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>40392390000016793B</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NH407	PLC-DELTA PE-INSERT 28MM 44/46 POST.WALL	III
NH417	PLC-DELTA PE-INSERT 32MM 48MM POST.WALL	III
NH418	PLC-DELTA PE-INSERT 32MM 50-54 POST.WALL	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*  
SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page **13** von/of **27**, Gültig ab/Valid since 2023-11-30  
GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>40392390000016802U</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NH170	SC/MSC PE-INSERT 22.2MM 40/42 SYM.	III
NH171	SC/MSC PE-INSERT 22.2MM 44/46 SYM.	III
NH172	SC/MSC PE-INSERT 22.2MM 48/50 SYM.	III
NH181	SC/MSC PE-INSERT 26MM 44/46 SYM.	III
NH182	SC/MSC PE-INSERT 26MM 48/50 SYM.	III
NH191	SC/MSC PE-INSERT 28MM 44/46 SYM.	III
NH192	SC/MSC PE-INSERT 28MM 48/50 SYM.	III
NH193	SC/MSC PE-INSERT 28MM 52/54 SYM.	III
NH194	SC/MSC PE-INSERT 28MM 56/58 SYM.	III
NH195	SC/MSC PE-INSERT 28MM 60/62 SYM.	III
NH196	SC/MSC PE-INSERT 28MM 64-68 SYM.	III
NH202	SC/MSC PE-INSERT 32MM 48/50 SYM.	III
NH203	SC/MSC PE-INSERT 32MM 52/54 SYM.	III
NH204	SC/MSC PE-INSERT 32MM 56/58 SYM.	III
NH205	SC/MSC PE-INSERT 32MM 60/62 SYM.	III
NH206	SC/MSC PE-INSERT 32MM 64-68 SYM.	III
NH300	SC/MSC PE-INSERT 22.2MM 40/42 POST.WALL	III
NH301	SC/MSC PE-INSERT 22.2MM 44/46 POST.WALL	III
NH302	SC/MSC PE-INSERT 22.2MM 48/50 POST.WALL	III
NH311	SC/MSC PE-INSERT 26MM 44/46 POST.WALL	III
NH312	SC/MSC PE-INSERT 26MM 48/50 POST.WALL	III
NH323	SC/MSC PE-INSERT 32MM 52/54 ASYM.	III
NH324	SC/MSC PE-INSERT 32MM 56/58 ASYM.	III
NH325	SC/MSC PE-INSERT 32MM 60/62 ASYM.	III
NH326	SC/MSC PE-INSERT 32MM 64-68 ASYM.	III
NH401	SC/MSC PE-INSERT 28MM 44/46 POST.WALL	III
NH402	SC/MSC PE-INSERT 28MM 48/50 POST.WALL	III
NH403	SC/MSC PE-INSERT 28MM 52/54 POST.WALL	III
NH404	SC/MSC PE-INSERT 28MM 56/58 POST.WALL	III
NH405	SC/MSC PE-INSERT 28MM 60/62 POST.WALL	III
NH406	SC/MSC PE-INSERT 28MM 64-68 POST.WALL	III
NH413	SC/MSC PE-INSERT 32MM 52/54 POST.WALL	III
NH414	SC/MSC PE-INSERT 32MM 56/58 POST.WALL	III
NH415	SC/MSC PE-INSERT 32MM 60/62 POST.WALL	III
NH416	SC/MSC PE-INSERT 32MM 64-68 POST.WALL	III
NH471	SC/MSC PE-INSERT 28MM 44/46 ASYM.	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*

Effective

SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page **14** von/of **27**, Gültig ab/Valid since 2023-11-30  
GRA,blocmade

# Konformitätserklärung

## Declaration of Conformity

Effective

NH472	SC/MSC PE-INSERT 28MM 48/50 ASYM.	III
NH473	SC/MSC PE-INSERT 28MM 52/54 ASYM.	III
NH474	SC/MSC PE-INSERT 28MM 56/58 ASYM.	III
NH475	SC/MSC PE-INSERT 28MM 60/62 ASYM.	III
NH476	SC/MSC PE-INSERT 28MM 64-68 ASYM.	III

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>40392390000016812W</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NH191E	SC/MSC VITELINE INSERT 28MM 44/46 SYM.	III
NH202E	SC/MSC VITELINE INSERT 32MM 48/50 SYM.	III
NH203E	SC/MSC VITELINE INSERT 32MM 52/54 SYM.	III
NH204E	SC/MSC VITELINE INSERT 32MM 56/58 SYM.	III
NH205E	SC/MSC VITELINE INSERT 32MM 60/62 SYM.	III
NH206E	SC/MSC VITELINE INSERT 32MM 64-68 SYM.	III
NH209E	SC/MSC VITELINE INSERT 36MM 56/58 SYM.	III
NH210E	SC/MSC VITELINE INSERT 36MM 60/62 SYM.	III
NH211E	SC/MSC VITELINE INSERT 36MM 64-68 SYM.	III
NH401E	SC/MSC VITELINE INSERT 28MM 44/46 P.WALL	III
NH402E	SC/MSC VITELINE INSERT 28MM 48/50 P.WALL	III
NH413E	SC/MSC VITELINE INSERT 32MM 52/54 P.WALL	III
NH414E	SC/MSC VITELINE INSERT 32MM 56/58 P.WALL	III
NH415E	SC/MSC VITELINE INSERT 32MM 60/62 P.WALL	III
NH416E	SC/MSC VITELINE INSERT 32MM 64-68 P.WALL	III
NH501E	DC VITELINE INSERT 28MM 44/46 SYM.	III
NH502E	DC VITELINE INSERT 32MM 48/50 SYM.	III
NH503E	DC VITELINE INSERT 32MM 52/54 SYM.	III
NH504E	DC VITELINE INSERT 32MM 56-62 SYM.	III
NH505E	DC VITELINE INSERT 32MM 64-68 SYM.	III
NH506E	DC VITELINE INSERT 36MM 52/54 SYM.	III
NH507E	DC VITELINE INSERT 36MM 56-62 SYM.	III
NH508E	DC VITELINE INSERT 36MM 64-68 SYM.	III
NH511E	DC VITELINE INSERT 28MM 44/46 POST.WALL	III
NH512E	DC VITELINE INSERT 32MM 48/50 POST.WALL	III
NH513E	DC VITELINE INSERT 32MM 52/54 POST.WALL	III
NH514E	DC VITELINE INSERT 32MM 56-62 POST.WALL	III
NH515E	DC VITELINE INSERT 32MM 64-68 POST.WALL	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / This document is valid without manual signature. It is signed via electronic signature process.

SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page 15 von/of 27, Gültig ab/Valid since 2023-11-30  
GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

<b>Zweckbestimmung Intended Use</b>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>40392390000016822Y</b>

<b>Artikelnummer Ref. Number</b>	<b>Bezeichnung Description</b>	<b>Risikoklasse Risk Class</b>
NC340T	PLASMAFIT POLY CUP µCAP SIZE 40MM B	III
NC342T	PLASMAFIT POLY CUP µCAP SIZE 42MM C	III
NC344T	PLASMAFIT POLY CUP µCAP SIZE 44MM D	III
NC346T	PLASMAFIT POLY CUP µCAP SIZE 46MM E	III
NC348T	PLASMAFIT POLY CUP µCAP SIZE 48MM F	III
NC350T	PLASMAFIT POLY CUP µCAP SIZE 50MM G	III
NC352T	PLASMAFIT POLY CUP µCAP SIZE 52MM H	III
NC354T	PLASMAFIT POLY CUP µCAP SIZE 54MM I	III
NC356T	PLASMAFIT POLY CUP µCAP SIZE 56MM J	III
NC358T	PLASMAFIT POLY CUP µCAP SIZE 58MM K	III
NC360T	PLASMAFIT POLY CUP µCAP SIZE 60MM L	III
NC362T	PLASMAFIT POLY CUP µCAP SIZE 62MM M	III
NC740T	PLASMAFIT PLUS CUP µCAP SIZE 40MM A	III
NC742T	PLASMAFIT PLUS CUP µCAP SIZE 42MM B	III
NC744T	PLASMAFIT PLUS CUP µCAP SIZE 44MM C	III
NC746T	PLASMAFIT PLUS CUP µCAP SIZE 46MM D	III
NC748T	PLASMAFIT PLUS CUP µCAP SIZE 48MM E	III
NC750T	PLASMAFIT PLUS CUP µCAP SIZE 50MM F	III
NC752T	PLASMAFIT PLUS CUP µCAP SIZE 52MM G	III
NC754T	PLASMAFIT PLUS CUP µCAP SIZE 54MM H	III
NC756T	PLASMAFIT PLUS CUP µCAP SIZE 56MM I	III
NC758T	PLASMAFIT PLUS CUP µCAP SIZE 58MM J	III
NC760T	PLASMAFIT PLUS CUP µCAP SIZE 60MM J	III
NC762T	PLASMAFIT PLUS CUP µCAP SIZE 62MM J	III
NC764T	PLASMAFIT PLUS CUP µCAP SIZE 64MM K	III
NC766T	PLASMAFIT PLUS CUP µCAP SIZE 66MM K	III
NC768T	PLASMAFIT PLUS CUP µCAP SIZE 68MM K	III
NC770T	PLASMAFIT PLUS CUP µCAP SIZE 70MM K	III
NC840T	PLASMAFIT PLUS 3 CUP µCAP SIZE 40MM A	III
NC842T	PLASMAFIT PLUS 3 CUP µCAP SIZE 42MM B	III
NC844T	PLASMAFIT PLUS 3 CUP µCAP SIZE 44MM C	III
NC846T	PLASMAFIT PLUS 3 CUP µCAP SIZE 46MM D	III
NC848T	PLASMAFIT PLUS 3 CUP µCAP SIZE 48MM E	III
NC850T	PLASMAFIT PLUS 3 CUP µCAP SIZE 50MM F	III
NC852T	PLASMAFIT PLUS 3 CUP µCAP SIZE 52MM G	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / This document is valid without manual signature. It is signed via electronic signature process.

SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page 16 von/of 27, Gültig ab/Valid since 2023-11-30  
GRA,blocmade

Effective



# Konformitätserklärung *Declaration of Conformity*

Effective

NC854T	PLASMAFIT PLUS 3 CUP µCAP SIZE 54MM H	III
NC856T	PLASMAFIT PLUS 3 CUP µCAP SIZE 56MM I	III
NC858T	PLASMAFIT PLUS 3 CUP µCAP SIZE 58MM J	III
NC860T	PLASMAFIT PLUS 3 CUP µCAP SIZE 60MM J	III
NC862T	PLASMAFIT PLUS 3 CUP µCAP SIZE 62MM J	III
NC864T	PLASMAFIT PLUS 3 CUP µCAP SIZE 64MM K	III
NC866T	PLASMAFIT PLUS 3 CUP µCAP SIZE 66MM K	III
NC868T	PLASMAFIT PLUS 3 CUP µCAP SIZE 68MM K	III
NC870T	PLASMAFIT PLUS 3 CUP µCAP SIZE 70MM K	III
NC940T	PLASMAFIT PLUS 5 CUP µCAP SIZE 40MM A	III
NC942T	PLASMAFIT PLUS 5 CUP µCAP SIZE 42MM B	III
NC944T	PLASMAFIT PLUS 5 CUP µCAP SIZE 44MM C	III
NC946T	PLASMAFIT PLUS 7 CUP µCAP SIZE 46MM D	III
NC948T	PLASMAFIT PLUS 7 CUP µCAP SIZE 48MM E	III
NC950T	PLASMAFIT PLUS 7 CUP µCAP SIZE 50MM F	III
NC952T	PLASMAFIT PLUS 7 CUP µCAP SIZE 52MM G	III
NC954T	PLASMAFIT PLUS 7 CUP µCAP SIZE 54MM H	III
NC956T	PLASMAFIT PLUS 7 CUP µCAP SIZE 56MM I	III
NC958T	PLASMAFIT PLUS 7 CUP µCAP SIZE 58MM J	III
NC960T	PLASMAFIT PLUS 7 CUP µCAP SIZE 60MM J	III
NC962T	PLASMAFIT PLUS 7 CUP µCAP SIZE 62MM J	III
NC964T	PLASMAFIT PLUS 7 CUP µCAP SIZE 64MM K	III
NC966T	PLASMAFIT PLUS 7 CUP µCAP SIZE 66MM K	III
NC968T	PLASMAFIT PLUS 7 CUP µCAP SIZE 68MM K	III
NC970T	PLASMAFIT PLUS 7 CUP µCAP SIZE 70MM K	III

<b>Zweckbestimmung <i>Intended Use</i></b>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>403923900000168332</b>

<b>Artikelnummer <i>Ref. Number</i></b>	<b>Bezeichnung <i>Description</i></b>	<b>Risikoklasse <i>Risk Class</i></b>
NV040T	PLASMAFIT POLY CUP SIZE 40MM B	III
NV042T	PLASMAFIT POLY CUP SIZE 42MM C	III
NV044T	PLASMAFIT POLY CUP SIZE 44MM D	III
NV046T	PLASMAFIT POLY CUP SIZE 46MM E	III
NV048T	PLASMAFIT POLY CUP SIZE 48MM F	III
NV050T	PLASMAFIT POLY CUP SIZE 50MM G	III
NV052T	PLASMAFIT POLY CUP SIZE 52MM H	III
NV054T	PLASMAFIT POLY CUP SIZE 54MM I	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*  
 SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page **17** von/of **27**, Gültig ab/Valid since 2023-11-30  
 GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

NV056T	PLASMAFIT POLY CUP SIZE 56MM J	III
NV058T	PLASMAFIT POLY CUP SIZE 58MM K	III
NV060T	PLASMAFIT POLY CUP SIZE 60MM L	III
NV062T	PLASMAFIT POLY CUP SIZE 62MM M	III
NV140T	PLASMAFIT PLUS CUP SIZE 40MM A	III
NV142T	PLASMAFIT PLUS CUP SIZE 42MM B	III
NV144T	PLASMAFIT PLUS CUP SIZE 44MM C	III
NV146T	PLASMAFIT PLUS CUP SIZE 46MM D	III
NV148T	PLASMAFIT PLUS CUP SIZE 48MM E	III
NV150T	PLASMAFIT PLUS CUP SIZE 50MM F	III
NV152T	PLASMAFIT PLUS CUP SIZE 52MM G	III
NV154T	PLASMAFIT PLUS CUP SIZE 54MM H	III
NV156T	PLASMAFIT PLUS CUP SIZE 56MM I	III
NV158T	PLASMAFIT PLUS CUP SIZE 58MM J	III
NV160T	PLASMAFIT PLUS CUP SIZE 60MM J	III
NV162T	PLASMAFIT PLUS CUP SIZE 62MM J	III
NV164T	PLASMAFIT PLUS CUP SIZE 64MM K	III
NV166T	PLASMAFIT PLUS CUP SIZE 66MM K	III
NV168T	PLASMAFIT PLUS CUP SIZE 68MM K	III
NV170T	PLASMAFIT PLUS CUP SIZE 70MM K	III
NV240T	PLASMAFIT PLUS 3 CUP SIZE 40MM A	III
NV242T	PLASMAFIT PLUS 3 CUP SIZE 42MM B	III
NV244T	PLASMAFIT PLUS 3 CUP SIZE 44MM C	III
NV246T	PLASMAFIT PLUS 3 CUP SIZE 46MM D	III
NV248T	PLASMAFIT PLUS 3 CUP SIZE 48MM E	III
NV250T	PLASMAFIT PLUS 3 CUP SIZE 50MM F	III
NV252T	PLASMAFIT PLUS 3 CUP SIZE 52MM G	III
NV254T	PLASMAFIT PLUS 3 CUP SIZE 54MM H	III
NV256T	PLASMAFIT PLUS 3 CUP SIZE 56MM I	III
NV258T	PLASMAFIT PLUS 3 CUP SIZE 58MM J	III
NV260T	PLASMAFIT PLUS 3 CUP SIZE 60MM J	III
NV262T	PLASMAFIT PLUS 3 CUP SIZE 62MM J	III
NV264T	PLASMAFIT PLUS 3 CUP SIZE 64MM K	III
NV266T	PLASMAFIT PLUS 3 CUP SIZE 66MM K	III
NV268T	PLASMAFIT PLUS 3 CUP SIZE 68MM K	III
NV270T	PLASMAFIT PLUS 3 CUP SIZE 70MM K	III
NV340T	PLASMAFIT PLUS 5 CUP SIZE 40MM A	III
NV342T	PLASMAFIT PLUS 5 CUP SIZE 42MM B	III
NV344T	PLASMAFIT PLUS 5 CUP SIZE 44MM C	III
NV346T	PLASMAFIT PLUS 7 CUP SIZE 46MM D	III
NV348T	PLASMAFIT PLUS 7 CUP SIZE 48MM E	III
NV350T	PLASMAFIT PLUS 7 CUP SIZE 50MM F	III
NV352T	PLASMAFIT PLUS 7 CUP SIZE 52MM G	III
NV354T	PLASMAFIT PLUS 7 CUP SIZE 54MM H	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*

SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page **18** von/of **27**, Gültig ab/Valid since 2023-11-30  
GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

NV356T	PLASMAFIT PLUS 7 CUP SIZE 56MM I	III
NV358T	PLASMAFIT PLUS 7 CUP SIZE 58MM J	III
NV360T	PLASMAFIT PLUS 7 CUP SIZE 60MM J	III
NV362T	PLASMAFIT PLUS 7 CUP SIZE 62MM J	III
NV364T	PLASMAFIT PLUS 7 CUP SIZE 64MM K	III
NV366T	PLASMAFIT PLUS 7 CUP SIZE 66MM K	III
NV368T	PLASMAFIT PLUS 7 CUP SIZE 68MM K	III
NV370T	PLASMAFIT PLUS 7 CUP SIZE 70MM K	III

<b>Zweckbestimmung Intended Use</b>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>403923900000168434</b>

<b>Artikelnummer Ref. Number</b>	<b>Bezeichnung Description</b>	<b>Risikoklasse Risk Class</b>
NV201	PE-INSERT E 32MM SYM.	III
NV202	PE-INSERT F 32MM SYM.	III
NV203	PE-INSERT G 32MM SYM.	III
NV204	PE-INSERT H 32MM SYM.	III
NV205	PE-INSERT I 32MM SYM.	III
NV206	PE-INSERT J 32MM SYM.	III
NV207	PE-INSERT K 32MM SYM.	III
NV208	PE-INSERT L 32MM SYM.	III
NV209	PE-INSERT M 32MM SYM.	III
NV289	PE-INSERT C 28MM POST.WALL	III
NV290	PE-INSERT D 28MM POST.WALL	III
NV301	PE-INSERT E 32MM POST.WALL	III
NV302	PE-INSERT F 32MM POST.WALL	III
NV303	PE-INSERT G 32MM POST.WALL	III
NV304	PE-INSERT H 32MM POST.WALL	III
NV305	PE-INSERT I 32MM POST.WALL	III
NV306	PE-INSERT J 32MM POST.WALL	III
NV307	PE-INSERT K 32MM POST.WALL	III
NV308	PE-INSERT L 32MM POST.WALL	III
NV309	PE-INSERT M 32MM POST.WALL	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*  
 SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page **19** von/of **27**, Gültig ab/Valid since 2023-11-30  
 GRA,blocmade

Effective

# Konformitätserklärung

## Declaration of Conformity

Effective

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>403923900000168536</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NV182E	VITELENE INSERT A 22.2MM SYM.	III
NV183E	VITELENE INSERT B 22.2MM SYM.	III
NV184E	VITELENE INSERT C 22.2MM SYM.	III
NV189E	VITELENE INSERT C 28MM SYM.	III
NV190E	VITELENE INSERT D 28MM SYM.	III
NV191E	VITELENE INSERT E 28MM SYM.	III
NV192E	VITELENE INSERT F 28MM SYM.	III
NV193E	VITELENE INSERT G 28MM SYM.	III
NV194E	VITELENE INSERT H 28MM SYM.	III
NV195E	VITELENE INSERT I 28MM SYM.	III
NV201E	VITELENE INSERT E 32MM SYM.	III
NV202E	VITELENE INSERT F 32MM SYM.	III
NV203E	VITELENE INSERT G 32MM SYM.	III
NV204E	VITELENE INSERT H 32MM SYM.	III
NV205E	VITELENE INSERT I 32MM SYM.	III
NV206E	VITELENE INSERT J 32MM SYM.	III
NV207E	VITELENE INSERT K 32MM SYM.	III
NV208E	VITELENE INSERT L 32MM SYM.	III
NV209E	VITELENE INSERT M 32MM SYM.	III
NV213E	VITELENE INSERT G 36MM SYM.	III
NV214E	VITELENE INSERT H 36MM SYM.	III
NV215E	VITELENE INSERT I 36MM SYM.	III
NV216E	VITELENE INSERT J 36MM SYM.	III
NV217E	VITELENE INSERT K 36MM SYM.	III
NV218E	VITELENE INSERT L 36MM SYM.	III
NV219E	VITELENE INSERT M 36MM SYM.	III
NV225E	VITELENE INSERT I 40MM SYM.	III
NV226E	VITELENE INSERT J 40MM SYM.	III
NV227E	VITELENE INSERT K 40MM SYM.	III
NV228E	VITELENE INSERT L 40MM SYM.	III
NV229E	VITELENE INSERT M 40MM SYM.	III
NV282E	VITELENE INSERT A 22.2MM POST.WALL	III
NV283E	VITELENE INSERT B 22.2MM POST.WALL	III
NV284E	VITELENE INSERT C 22.2MM POST.WALL	III
NV289E	VITELENE INSERT C 28MM POST.WALL	III
NV290E	VITELENE INSERT D 28MM POST.WALL	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / This document is valid without manual signature. It is signed via electronic signature process.

SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page **20** von/of **27**, Gültig ab/Valid since 2023-11-30  
GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

NV291E	VITELENE INSERT E 28MM POST.WALL	III
NV292E	VITELENE INSERT F 28MM POST.WALL	III
NV293E	VITELENE INSERT G 28MM POST.WALL	III
NV294E	VITELENE INSERT H 28MM POST.WALL	III
NV295E	VITELENE INSERT I 28MM POST.WALL	III
NV301E	VITELENE INSERT E 32MM POST.WALL	III
NV302E	VITELENE INSERT F 32MM POST.WALL	III
NV303E	VITELENE INSERT G 32MM POST.WALL	III
NV304E	VITELENE INSERT H 32MM POST.WALL	III
NV305E	VITELENE INSERT I 32MM POST.WALL	III
NV306E	VITELENE INSERT J 32MM POST.WALL	III
NV307E	VITELENE INSERT K 32MM POST.WALL	III
NV308E	VITELENE INSERT L 32MM POST.WALL	III
NV309E	VITELENE INSERT M 32MM POST.WALL	III
NV313E	VITELENE INSERT G 36MM POST.WALL	III
NV314E	VITELENE INSERT H 36MM POST.WALL	III
NV315E	VITELENE INSERT I 36MM POST.WALL	III
NV316E	VITELENE INSERT J 36MM POST.WALL	III
NV317E	VITELENE INSERT K 36MM POST.WALL	III
NV318E	VITELENE INSERT L 36MM POST.WALL	III
NV319E	VITELENE INSERT M 36MM POST.WALL	III
NV382E	VITELENE INSERT A 22.2MM 10°ASYM.	III
NV383E	VITELENE INSERT B 22.2MM 10°ASYM.	III
NV384E	VITELENE INSERT C 22.2MM 10°ASYM.	III
NV389E	VITELENE INSERT C 28MM 10°ASYM.	III
NV390E	VITELENE INSERT D 28MM 10°ASYM.	III
NV391E	VITELENE INSERT E 28MM 10°ASYM.	III
NV401E	VITELENE INSERT E 32MM 10°ASYM.	III
NV402E	VITELENE INSERT F 32MM 10°ASYM.	III
NV403E	VITELENE INSERT G 32MM 10°ASYM.	III
NV404E	VITELENE INSERT H 32MM 10°ASYM.	III
NV405E	VITELENE INSERT I 32MM 10°ASYM.	III
NV406E	VITELENE INSERT J 32MM 10°ASYM.	III
NV407E	VITELENE INSERT K 32MM 10°ASYM.	III
NV408E	VITELENE INSERT L 32MM 10°ASYM.	III
NV409E	VITELENE INSERT M 32MM 10°ASYM.	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*

SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page 21 von/of 27, Gültig ab/Valid since 2023-11-30  
GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>403923900000168638</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NH484T	PLC PRESSFIT-CUP SIZE 44MM	III
NH486T	PLC PRESSFIT-CUP SIZE 46MM	III
NH488T	PLC PRESSFIT-CUP SIZE 48MM	III
NH490T	PLC PRESSFIT-CUP SIZE 50MM	III
NH492T	PLC PRESSFIT-CUP SIZE 52MM	III
NH494T	PLC PRESSFIT-CUP SIZE 54MM	III
NH496T	PLC PRESSFIT-CUP SIZE 56MM	III
NH498T	PLC PRESSFIT-CUP SIZE 58MM	III

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>40392390000016873A</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NK684K	COCR PROSTHESIS HEAD 12/14 28MM S	III
NK685K	COCR PROSTHESIS HEAD 12/14 28MM M	III
NK686K	COCR PROSTHESIS HEAD 12/14 28MM L	III
NK687K	COCR PROSTHESIS HEAD 12/14 28MM XL	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*  
 SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page **22** von/of **27**, Gültig ab/Valid since 2023-11-30  
 GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>40392390000016883C</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NH212T	RECONSTRUCTION SHELL 52(48)MM RIGHT	III
NH222T	RECONSTRUCTION SHELL 52(48)MM LEFT	III
NH233T	RECONSTRUCTION SHELL 58(54)MM RIGHT	III
NH243T	RECONSTRUCTION SHELL 58(54)MM LEFT	III
NH254T	RECONSTRUCTION SHELL 64(60)MM RIGHT	III
NH264T	RECONSTRUCTION SHELL 64(60)MM LEFT	III

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>40392390000016893E</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NH444T	SCREW CUP SC SIZE 44MM	III
NH446T	SCREW CUP SC SIZE 46MM	III
NH448T	SCREW CUP SC SIZE 48MM	III
NH450T	SCREW CUP SC SIZE 50MM	III
NH452T	SCREW CUP SC SIZE 52MM	III
NH454T	SCREW CUP SC SIZE 54MM	III
NH456T	SCREW CUP SC SIZE 56MM	III
NH458T	SCREW CUP SC SIZE 58MM	III
NH460T	SCREW CUP SC SIZE 60MM	III
NH464T	SCREW CUP SC SIZE 64MM	III
NH468T	SCREW CUP SC SIZE 68MM	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*  
 SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page **23** von/of **27**, Gültig ab/Valid since 2023-11-30  
 GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>40392390000016902X</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NK842E	VITELINE LOW PROFILE CUP CEMENT.28/42MM	III
NK844E	VITELINE LOW PROFILE CUP CEMENT.28/44MM	III
NK846E	VITELINE LOW PROFILE CUP CEMENT.28/46MM	III
NK946E	VITELINE LOW PROFILE CUP CEMENT.32/46MM	III
NK948E	VITELINE LOW PROFILE CUP CEMENT.32/48MM	III
NK950E	VITELINE LOW PROFILE CUP CEMENT.32/50MM	III
NK952E	VITELINE LOW PROFILE CUP CEMENT.32/52MM	III
NK954E	VITELINE LOW PROFILE CUP CEMENT.32/54MM	III
NK956E	VITELINE LOW PROFILE CUP CEMENT.32/56MM	III
NK958E	VITELINE LOW PROFILE CUP CEMENT.32/58MM	III
NK960E	VITELINE LOW PROFILE CUP CEMENT.32/60MM	III
NK962E	VITELINE LOW PROFILE CUP CEMENT.32/62MM	III
NK964E	VITELINE LOW PROFILE CUP CEMENT.32/64MM	III
NK976E	VITELINE LOW PROFILE CUP CEMENT.36/50MM	III
NK977E	VITELINE LOW PROFILE CUP CEMENT.36/52MM	III
NK978E	VITELINE LOW PROFILE CUP CEMENT.36/54MM	III
NK979E	VITELINE LOW PROFILE CUP CEMENT.36/56MM	III
NK980E	VITELINE LOW PROFILE CUP CEMENT.36/58MM	III
NK981E	VITELINE LOW PROFILE CUP CEMENT.36/60MM	III
NK982E	VITELINE LOW PROFILE CUP CEMENT.36/62MM	III
NK983E	VITELINE LOW PROFILE CUP CEMENT.36/64MM	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*  
 SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page **24** von/of **27**, Gültig ab/Valid since 2023-11-30  
 GRA,blocmade

Effective



# Konformitätserklärung *Declaration of Conformity*

Effective

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>40392390000025352R</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NV413E	VITELENE INSERT G 36MM 10°ASYM.	III
NV414E	VITELENE INSERT H 36MM 10°ASYM.	III
NV415E	VITELENE INSERT I 36MM 10°ASYM.	III
NV416E	VITELENE INSERT J 36MM 10°ASYM.	III
NV417E	VITELENE INSERT K 36MM 10°ASYM.	III
NV489E	VITELENE INSERT C 28MM 20°ASYM.REV	III
NV490E	VITELENE INSERT D 28MM 20°ASYM.REV	III
NV491E	VITELENE INSERT E 28MM 20°ASYM.REV	III
NV501E	VITELENE INSERT E 32MM 20°ASYM.REV	III
NV502E	VITELENE INSERT F 32MM 20°ASYM.REV	III
NV503E	VITELENE INSERT G 32MM 20°ASYM.REV	III
NV504E	VITELENE INSERT H 32MM 20°ASYM.REV	III
NV505E	VITELENE INSERT I 32MM 20°ASYM.REV	III
NV506E	VITELENE INSERT J 32MM 20°ASYM.REV	III
NV507E	VITELENE INSERT K 32MM 20°ASYM.REV	III
NV513E	VITELENE INSERT G 36MM 20°ASYM.REV	III
NV514E	VITELENE INSERT H 36MM 20°ASYM.REV	III
NV515E	VITELENE INSERT I 36MM 20°ASYM.REV	III
NV516E	VITELENE INSERT J 36MM 20°ASYM.REV	III
NV517E	VITELENE INSERT K 36MM 20°ASYM.REV	III
NV589E	VITELENE INSERT C 28MM SYM.+4MM REV	III
NV590E	VITELENE INSERT D 28MM SYM.+4MM REV	III
NV591E	VITELENE INSERT E 28MM SYM.+4MM REV	III
NV601E	VITELENE INSERT E 32MM SYM.+4MM REV	III
NV602E	VITELENE INSERT F 32MM SYM.+4MM REV	III
NV603E	VITELENE INSERT G 32MM SYM.+4MM REV	III
NV604E	VITELENE INSERT H 32MM SYM.+4MM REV	III
NV605E	VITELENE INSERT I 32MM SYM.+4MM REV	III
NV606E	VITELENE INSERT J 32MM SYM.+4MM REV	III
NV607E	VITELENE INSERT K 32MM SYM.+4MM REV	III
NV613E	VITELENE INSERT G 36MM SYM.+4MM REV	III
NV614E	VITELENE INSERT H 36MM SYM.+4MM REV	III
NV615E	VITELENE INSERT I 36MM SYM.+4MM REV	III
NV616E	VITELENE INSERT J 36MM SYM.+4MM REV	III
NV617E	VITELENE INSERT K 36MM SYM.+4MM REV	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*  
 SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page **25** von/of **27**, Gültig ab/Valid since 2023-11-30  
 GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>40392390000025362T</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NV944T	PLASMAFIT REVISION STRUCTAN SIZE 44MM C	III
NV946T	PLASMAFIT REVISION STRUCTAN SIZE 46MM D	III
NV948T	PLASMAFIT REVISION STRUCTAN SIZE 48MM E	III
NV950T	PLASMAFIT REVISION STRUCTAN SIZE 50MM F	III
NV952T	PLASMAFIT REVISION STRUCTAN SIZE 52MM G	III
NV954T	PLASMAFIT REVISION STRUCTAN SIZE 54MM H	III
NV956T	PLASMAFIT REVISION STRUCTAN SIZE 56MM I	III
NV958T	PLASMAFIT REVISION STRUCTAN SIZE 58MM J	III
NV960T	PLASMAFIT REVISION STRUCTAN SIZE 60MM J	III
NV962T	PLASMAFIT REVISION STRUCTAN SIZE 62MM J	III
NV964T	PLASMAFIT REVISION STRUCTAN SIZE 64MM K	III
NV966T	PLASMAFIT REVISION STRUCTAN SIZE 66MM K	III
NV968T	PLASMAFIT REVISION STRUCTAN SIZE 68MM K	III
NV970T	PLASMAFIT REVISION STRUCTAN SIZE 70MM K	III
NV972T	PLASMAFIT REVISION STRUCTAN SIZE 72MM K	III

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>403923900000274434</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NJ180K	DUAL MOB.PROSTHESIS HEAD 8/10 22.2MM S	III
NJ181K	DUAL MOB.PROSTHESIS HEAD 8/10 22.2MM M	III
NJ182K	DUAL MOB.PROSTHESIS HEAD 8/10 22.2MM L	III
NJ190K	DUAL MOB.PROSTHESIS HEAD 8/10 28MM S	III
NJ191K	DUAL MOB.PROSTHESIS HEAD 8/10 28MM M	III
NJ192K	DUAL MOB.PROSTHESIS HEAD 8/10 28MM L	III
NK1090K	DUAL MOB.PROSTHESIS HEAD 12/14 28MM S	III
NK1091K	DUAL MOB.PROSTHESIS HEAD 12/14 28MM M	III
NK1092K	DUAL MOB.PROSTHESIS HEAD 12/14 28MM L	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*  
 SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page **26** von/of **27**, Gültig ab/Valid since 2023-11-30  
 GRA,blocmade

Effective

# Konformitätserklärung *Declaration of Conformity*

Effective

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>403923900000274536</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NV1010Z	DUAL MOBILITY INSERT D	III
NV1011Z	DUAL MOBILITY INSERT E	III
NV1012Z	DUAL MOBILITY INSERT F	III
NV1013Z	DUAL MOBILITY INSERT G	III
NV1014Z	DUAL MOBILITY INSERT H	III
NV1015Z	DUAL MOBILITY INSERT I	III
NV1016Z	DUAL MOBILITY INSERT J	III
NV1017Z	DUAL MOBILITY INSERT K	III

<b>Zweckbestimmung</b> <i>Intended Use</i>	The implant is used as a component of a human hip endoprosthesis.
<b>Basic-UDI-DI:</b>	<b>403923900000274638</b>

<b>Artikelnummer</b> <i>Ref. Number</i>	<b>Bezeichnung</b> <i>Description</i>	<b>Risikoklasse</b> <i>Risk Class</i>
NV1030E	VITELENE DUAL MOBILITY HEAD D 22.2MM	III
NV1031E	VITELENE DUAL MOBILITY HEAD E 22.2MM	III
NV1032E	VITELENE DUAL MOBILITY HEAD F 22.2MM	III
NV1043E	VITELENE DUAL MOBILITY HEAD G 28MM	III
NV1044E	VITELENE DUAL MOBILITY HEAD H 28MM	III
NV1045E	VITELENE DUAL MOBILITY HEAD I 28MM	III
NV1046E	VITELENE DUAL MOBILITY HEAD J 28MM	III
NV1047E	VITELENE DUAL MOBILITY HEAD K 28MM	III

Dieses Dokument ist ohne manuelle Unterschrift gültig. Die Freigabe erfolgt über einen elektronischen Unterschrifts-Prozess. / *This document is valid without manual signature. It is signed via electronic signature process.*  
 SA-DE13-M-4-1-11-100-1-I-EN Version 13.0, Seite/Page **27** von/of **27**, Gültig ab/Valid since 2023-11-30  
 GRA,blocmade

Effective

Title: Acetabular and Head Implants\_DoC\_implants class III.docx Initiator: Sabine ? Nassal

This document is signed electronically in compliance with the B. Braun electronic signature policies and procedures by following persons:

UserName: Nassal, Sabine (grafsade)  
Title: Global Regulatory Affairs (OSS)  
Date: Wednesday, 22 May 2024, 11:50 W. Europe Daylight Time  
Meaning: Document signed as Author  
=====

UserName: Reinecke, Holger (reinhode)  
Title: Member of the Executive Board R&D & RA  
Date: Wednesday, 22 May 2024, 14:07 W. Europe Daylight Time  
Meaning: Approve Document  
=====

UserName: Siller, Markus (sillmade)  
Title: VP R&D Orthopaedics & Spine Surgery  
Date: Wednesday, 22 May 2024, 15:00 W. Europe Daylight Time  
Meaning: Approve Document  
=====